

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

: Casco[®] Floor Expert HL 50

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use

: Gypsum product, Floor levelling compound

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Danmark A/S
		Hirsemarken 5
		3520 Farum
Telephone	:	+45 48 18 85 85
E-mail address of person	:	EHS@dk.sika.com
responsible for the SDS		

1.4 Emergency telephone number

Giftlinjen (Bispebjerg Hospital) telefon 82 12 12 12

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2H315: Causes skin irritation.Serious eye damage, Category 1H318: Causes serious eye damage.

2.2 Label elements

Labelling (REGULATION (EC)	No 1272/200	8)
Hazard pictograms	:		
Signal word	:	Danger	
Hazard statements	:	H315 H318	Causes skin irritation. Causes serious eye damage.
Precautionary statements	:	P101 P102 P103	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
		Prevention	:
		P264 P280	Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face

Casco[®] Floor Expert HL 50

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0



protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

Hazardous components which must be listed on the label:

Cement (chromium reduced)

2.3 Other hazards

The content of soluble Chromium (VI) is not greater than 0,0002% in accordance with Annex XVII, Paragraph 47 of the EU Regulation 1907/2006. The product reacts highly alkaline with water.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		
Cement (chromium reduced)	65997-15-1	Skin Irrit. 2; H315	>= 10 - < 20
	266-043-4	Eye Dam. 1; H318	
		STOT SE 3; H335	
		(Respiratory system)	
Substances with a workplace expo	sure limit :		
Quartz (SiO2)	14808-60-7		>= 25 - < 40
	238-878-4		

For explanation of abbreviations see section 16.

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0



SECTION 4: First aid measures

4.1 Description of first aid measu	ure	6
General advice	:	Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Small amounts splashed into eyes can cause irreversible tis- sue damage and blindness. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Continue rinsing eyes during transport to hospital. Remove contact lenses. Keep eye wide open while rinsing.
If swallowed	:	Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
4.2 Most important symptoms an	nd e	effects, both acute and delayed
Symptoms	:	Excessive lachrymation Erythema Dermatitis See Section 11 for more detailed information on health effects and symptoms.
Risks	:	irritant effects
		Causes skin irritation. Causes serious eye damage.
4.3 Indication of any immediate r Treatment	neo :	dical attention and special treatment needed Treat symptomatically.
SECTION 5: Firefighting meas	sur	es
5.1 Extinguishing media		
Suitable extinguishing media	:	In case of fire, use water/water spray/water jet/carbon diox- ide/sand/foam/alcohol resistant foam/chemical powder for extinction.

Casco® Floor Expert HL 50



Revision Date: 14.03.2024	
Date of last issue: 09.09.2022	

Version 2.0

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known
ucts		

5.3 Advice for firefighters

Special protective equipment	:	In the event of fire, wear self-contained breathing apparatus.
for firefighters		

Further information : Standard procedure for chemical fires.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures					
Personal precautions :	Use personal protective equipment. Avoid breathing dust. Deny access to unprotected persons.				
6.2 Environmental precautions					
Environmental precautions :	Try to prevent the material from entering drains or water courses.				
	No special environmental precautions required.				
6.3 Methods and material for contai	nment and cleaning up				
Methods for cleaning up :	Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.				

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Avoid dust formation. Provide appropriate exhaust ventilation at places where dust is formed.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not



Revision Date: 14.03.2024 Date of last issue: 09.09.2022

smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities					
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.			
Further information on stor- age stability	:	Keep in a dry place. No decomposition if stored and applied as directed.			
7.3 Specific end use(s)					
Specific use(s)	:	Consult most current local Product Data Sheet prior to any use.			

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters *	Basis *		
Quartz (SiO2)	14808-60-7	GV (Respirable dust)	0,1 mg/m3 (Silica)	DK OEL		
	Further information: Means that the substance is included in the list of substances considered carcinogenic., List of limit values for dust.					
		GV (total)	0,3 mg/m3 (Silica)	DK OEL		
		GV (respirable)	0,1 mg/m3 (Silica)	DK OEL		
	Further information: Means that the substance is included in the					
	list of substances considered carcinogenic.					
		S (total powder and dust)	0,6 mg/m3 (Silica)	DK OEL		
		S (inhalable frac- tion)	0,2 mg/m3 (Silica)	DK OEL		

*The above mentioned values are in accordance with the legislation in effect at the date of the release of this safety data sheet.

general dust value

Form of exposure	Peak-limit: excursion factor (category)	Value type	Control parame- ters	Basis
Total dust		GV	3 mg/m3	DK OEL
Dust		GV	0,5 mg/m3	DK OEL
Respirable dust		GV	5 mg/m3	DK OEL
Dust		GV	10 mg/m3	DK OEL

8.2 Exposure controls

Engineering measures

Maintain air concentrations below occupational exposure standards. Ensure adequate ventilation, especially in confined areas.

Personal protective equipment

Casco[®] Floor Expert HL 50



Revision Date: 14.03.2024	
Date of last issue: 09.09.2022	

Eye/face protection : Hand protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications. Recommended: Butyl rubber/nitrile rubber gloves. Contaminated gloves should be removed.
Skin and body protection :	Dust impervious protective suit Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.
Respiratory protection :	In case of inadequate ventilation wear respiratory protection. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe work- ing limits of the selected respirator. particulate filter P P1: Inert material; P2, P3: hazardous substances Ensure adequate ventilation. This can be achieved by local exhaust extraction or by general ventilation. (EN 689 - Meth- ods for determining inhalation exposure). This applies in par- ticular to the mixing / stirring area. In case this is not sufficent to keep the concentrations under the occupational exposure limits then respiration protection measures must be used.
Environmental exposure contr	ols
General advice :	Try to prevent the material from entering drains or water courses. No special environmental precautions required.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state Appearance Colour Odour	: : :	solid (20 °C) powder white odourless
Melting point/range / Freezing point	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	No data available
Upper/lower flammability or e Upper explosion limit / Up-	•	

Upper explosion limit / Up- : No data available per flammability limit

Casco[®] Floor Expert HL 50

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0



Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	Not applicable
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
рН	:	ca. 11 Concentration: 50 % not determined
Viscosity Viscosity, kinematic	:	Not applicable
Solubility(ies) Water solubility	:	No data available
Partition coefficient: n- octanol/water	:	No data available
Vapour pressure	:	No data available
Density	:	ca. 1,38 g/cm3 (20 °C)
Relative vapour density	:	No data available
Particle characteristics	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Print Date 18.03.2024

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Casco[®] Floor Expert HL 50

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0



SECTION 12: Ecological information

12.1 Toxicity

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Endocrine disrupting properties

Product:

Assessment	: The substance/mixture does not contain components consid- ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
	levels of 0.1% of higher.

12.7 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods	
Product	 The generation of waste should be avoided or minimized wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental
	at all times comply with the requirements of environmental



Revision Date: 14.03.2024 Date of last issue: 09.09.2022		Version 2.0	Print Date 18.03.202
		protection and waste disposal legislation an local authority requirements. Avoid dispersal of spilled material and runof soil, waterways, drains and sewers.	
European Waste Catalogue	:	16 03 03* inorganic wastes containing dang	jerous substances
Contaminated packaging	:	15 01 10* packaging containing residues of by dangerous substances	or contaminated

SECTION 14: Transport information

14.1 UN number or ID number				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.2 UN proper shipping name				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.3 Transport hazard class(es)				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
ΙΑΤΑ	:	Not regulated as a dangerous good		
14.4 Packing group				
ADR	:	Not regulated as a dangerous good		
IMDG	:	Not regulated as a dangerous good		
IATA (Cargo)	:	Not regulated as a dangerous good		
IATA (Passenger)	:	Not regulated as a dangerous good		
14.5 Environmental hazards Not regulated as a dangerous good				
14.6 Special precautions for user				

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) Not applicable Schedules of Toxic Chemicals and Precursors **REACH Information:** All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or - excluded from the regulation, and/or - exempted from the registration. REACH - Restrictions on the manufacture, placing on : Not applicable the market and use of certain dangerous substances, mixtures and articles (Annex XVII) REACH - Candidate List of Substances of Very High None of the components are listed Concern for Authorisation (Article 59). (=> 0.1 %). REACH - List of substances subject to authorisation Not applicable (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-Not applicable plete the ozone layer Regulation (EU) 2019/1021 on persistent organic pollu-Not applicable tants (recast) Regulation (EU) No 649/2012 of the European Parlia-Not applicable 5 ment and the Council concerning the export and import of dangerous chemicals Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable Volatile organic compounds Law on the incentive tax for volatile organic compounds (VOCV) Volatile organic compounds (VOC) content: < 0,01% w/w no VOC duties Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: < 0,01% w/w

MAL-Code-Number : 00-4 (1993)

Product registration number : 4146710

Casco® Floor Expert HL 50

Revision Date: 14.03.2024 Date of last issue: 09.09.2022 Version 2.0



01 1851 15506. 09.09.2022	
Waste Group	X
Reference	 Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre. Bekendtgørelse nr. 21 af 16. januar 1996 af lov om kemiske stoffer og produkter. Arbejdstilsynets bekendtgørelse nr. 1793 af 18/12/2015 om arbejde med stoffer og materialer (kemiske agenser). Bekendtgørelse nr. 1794 af 18/12/2015 om særlige pligter for fremstillere, leverandører og importører mv. af stoffer og ma- terialer efter lov om arbejdsmiljø. Arbejdstilsynets bekendtgørelse nr. 239 af 6. april 2005 om unges arbejde. Miljøstyrelsens bekendtgørelse nr. 1369 af 25/11/2015 om begrænsning af VOC. AT-Vejledning C.0.1 August 2007: Grænseværdier for stoffer og materialer. EU forordningen 1907/2006 (REACH). EU forordningen 1272/2008 (CLP). Bekendtgørelse nr. 48 af 13/01/2010 om affald. EU forordning 453/2010 (Opdatering til CLP).

Other regulations:

Young people under the age of 18 are not allowed to use or be exposed to the product professionally. Young people above the age of 15 are, however, except from this rule if the product is a necessary part of their education.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements		
H315	:	Causes skin irritation.
H318	:	Causes serious eye damage.
H335	:	May cause respiratory irritation.
Full text of other abbreviation	ons	
Eye Dam.	:	Serious eye damage
Skin Irrit.	:	Skin irritation
STOT SE	:	Specific target organ toxicity - single exposure
DK OEL	:	Denmark. Occupational Exposure Limits
DK OEL / S	:	Exposure period of 15 minutes
DK OEL / GV	:	Long term exposure limit
ADR	:	European Agreement concerning the International Carriage of
		Dangerous Goods by Road
CAS	:	Chemical Abstracts Service
DNEL	:	Derived no-effect level
EC50	:	Half maximal effective concentration

Casco® Floor Expert HL 50

Revision Date: 14.03.2024 Date of last issue: 09.09.2022



Version 2.	0

GHS IATA IMDG LD50	 Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)
LC50	 Median lethal concentration (concentrations of the chemical in air that kills 50% of the test animals during the observation period)
MARPOL	 International Convention for the Prevention of Pollution from Ships, 1973 as modified by the Protocol of 1978
OEL	: Occupational Exposure Limit
PBT	: Persistent, bioaccumulative and toxic
PNEC	: Predicted no effect concentration
REACH	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Reg- istration, Evaluation, Authorisation and Restriction of Chemi- cals (REACH), establishing a European Chemicals Agency
SVHC	: Substances of Very High Concern
vPvB	: Very persistent and very bioaccumulative

Further information

Classification of the mixture:		Classification procedure:
Skin Irrit. 2	H315	Calculation method
Eye Dam. 1	H318	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

DK / EN